

1. M. Becker, M. Jansen, A. Lieb, W. Milius, W. Schnick: *Synthese, Kristallstruktur und Festkörper-NMR-spektroskopische Untersuchungen von $K_5H(CN_2)_3$* .
Z. Anorg. Allg. Chem. 624, **1998**, 113
2. A. Friedrich, K. Knorr, A. Lieb, S. Rath, M. Hanfland, B. Winkler, W. Schnick: *High pressure phase transition of the oxonitridosilicate-chloride $Ce_4[Si_4O_{3+x}N_{7-x}]Cl_{1-x}O_x$ with $x = 0.12$ and 0.18* .
Z. Kristallogr. 220, **2005**, 245
3. A. Lieb, M. T. Weller, P. F. Henry, R. Niewa, R. Pöttgen, R.-D. Hoffmann, H. E. Höfer, W. Schnick: *Oxonitridosilicate-chlorides – synthesis, single-crystal X-ray and neutron powder diffraction, chemical analysis and properties of $Ln_4[Si_4O_{3+x}N_{7-x}]Cl_{1-x}O_x$ with $Ln = Ce, Pr, Nd$ and $x \approx 0.2$* .
J. Solid State Chem. 178, **2005**, 976
4. A. Lieb, W. Schnick: *$Ce_{10}[Si_{10}O_9N_{17}]Br$, $Nd_{10}[Si_{10}O_9N_{17}]Br$ and $Nd_{10}[Si_{10}O_9N_{17}]Cl$ oxonitridosilicate-halides with a new layered structure type*.
J. Solid State Chem. 178, **2005**, 3317
5. A. Lieb, R. Lauterbach, W. Schnick: *$Pr_{10}[Si_{10-x}Al_xO_{9+x}N_{17-x}]Cl$ with $x \approx 1$ – an oxonitridoaluminosilicate-chloride*.
Z. Anorg. Allg. Chem. 632, **2006**, 313
6. A. Lieb, W. Schnick: *$BaSm_5[Si_9Al_3N_{20}]O$ – a nitridoaluminosilicate-oxide with a new structure type composed of “star-shaped” $[N^{4-}((Si,Al)N_3)_4]$ units as secondary building units*.
Solid State Sci. 8, **2006**, 185
7. A. Friedrich, E. Haussühl, W. Morgenroth, A. Lieb, B. Winkler, K. Knorr, W. Schnick: *Crystal structure of the high-pressure phase of the oxonitridosilicate-chloride $Ce_4[Si_4O_{3+x}N_{7-x}]Cl_{1-x}O_x$, $x \approx 0.2$* .
Acta Crystallogr. B 62, **2006**, 205
8. E. A. Juarez-Arellano, A. Friedrich, K. Knorr, A. Lieb, B. Winkler, M. Amboage, M. Hanfland, W. Schnick: *Compressibility of the nitridosilicate $SrYb[Si_4N_7]$ and the oxonitridoaluminosilicates $MYb[Si_2Al_2O_2N_5]$ with $M = Sr, Ba$* .
Acta Crystallogr. B 62, **2006**, 424
9. A. Lieb, R. Kraut, W. Schnick: *Single-crystal X-ray diffraction and electron microprobe analysis of the structurally related J -phases $Nd_4[Si_2O_5N_2]O_2$, $Nd_4[Si_{2-x}Al_xO_{5+x}N_{2-x}]O_2$ with $x \approx 0.4$ and $Sr_xHo_{4-x}[Si_{2-y}Al_yO_{5+(x+y)}N_{2-(x+y)}]O_2$ with $x \approx 0.2$ and $y \approx 0.4$* .
Z. Anorg. Allg. Chem. 632, **2006**, 1496
10. A. Lieb, J. A. Kechele, R. Kraut, W. Schnick: *The sialons $MLn[Si_{4-x}Al_xO_xN_{7-x}]$ with $M = Eu, Sr, Ba$ and $Ln = Ho-Yb$ – twelve substitution variants with the $MYb[Si_4N_7]$ structure type*.
Z. Anorg. Allg. Chem. 633, **2007**, 166
11. V. L. Vinograd, E. A. Juarez-Arellano, A. Lieb, K. Knorr, W. Schnick, J. D. Gale, B. Winkler: *Coupled Al/Si and O/N order/disorder in $BaYb[Si_{4-x}Al_xO_xN_{7-x}]$ sialon*.
Z. Kristallogr. 222, **2007**, 402
12. F. Ocanto, R. Álvarez, C. U. de Navarro, A. Lieb, C. F. Linares: *Influence of the alkalinity and NO_3^-/Cl^- anionic composition on the synthesis of the cancrinite-sodalite system*.
Micropor. Mesopor. Mat., 116, **2008**, 318
13. A. Sonnauer, A. Lieb, N. Stock: *$[Cu_2(O_3PC_2H_4SO_3)(OH)(H_2O)_2]*3H_2O$, Poly[[diaqua- μ -2-hydroxido-(μ -7-2-phosphonatoethanesulfonato)-dicopper(II)]trihydrate]*.
Acta Crystallogr. Sect. E, 64, **2008**, m1417
14. A. Friedrich, K. Knorr, B. Winkler, A. Lieb, H. A. Höpfe, W. Schnick, V. Milman, M. Hanfland: *Compression behaviour of nitridocarbidosilicates $M_2[Si_4N_6C]$ $M = Y, Ho, Er$ studied with X-ray diffraction and ab-initio calculations*.
J. Phys. Chem. Solids, 70, **2009**, 97